WONDERWINDOWS

A BETTER WAY TO BUY WINDOWS

Ultra Entry DOORS

LEARN MORE AT energystar.gov

HA33**◊

HA61

HA68

HA83

Transoms

HA522 (68.5" x 13.5" frame)

HA521 (64.5" x 13.5" frame)

Harlow

Patina Caming Only

Privacy Rating: 5

1 transparent — opaque 10

HA88

HA81

HA21

Sidelites

HA02

HA03

HA04

CA14

CA83

CA81

Sidelites

CA03



CA04

Transoms

CA516 (68.5" x 35")

Cadence

Patina Caming Only

Privacy Rating: 5

1 transparent — opaque 10

CA21

CA88



CA91**

CA91*

** N/A in Fiberglass ** N/A in Steel ◊ Craftsman*

AUBURN

Patina Caming Only

Privacy Rating: 7

1 transparent — opaque 10

Transoms

AU522 (68.5" x 13.5" frame)

AU521 (64.5" x 13.5" frame)

AU33**◊

AU81

AU21

Sidelites

AU68

AU88



AU61

AU83

AU02

AU03



AU04

PARIS

Patina Caming Only

Privacy Rating: 4

1 transparent — opaque 10

Transoms



PA507 (68.5" x 15.5" frame)

PA521 (64.5" x 13.5" frame)

PA61

PA81

PA21



PA68

Sidelites

PA83

PA88

PA33◊**

PA02



PA03

PA04

PA04C◊**

*◊ Craftsman *N/A Fiberglass **N/A Steel*

Heirlooms

Satin Nickel or Brass Caming

Privacy Rating: 6

1 transparent — opaque 10

HE70

HE86**

HE92
N/A Brass

HE61

HE91*

HE83

HE81

HE68

HE21

HE14

HE91**



HE88

Sidelites

HE02 HE03 HE04

Transoms

HE532 (64.5" x 15.5" frame)

HE503 (68.5" x 15.5" frame)

HE578 (64.5" x 13.5" frame)

HE517∞ (37.5" x 13.5" frame)



HE521 (64.5" x 13.5" frame)



HE506 (64.5" x 15.5" frame)

HE507 (68.5" x 15.5" frame)

Monterey

Satin Nickel Caming

Privacy Rating: 7

1 transparent — opaque 10

MO88

MO33◊**



MO21



MO81

MO83

Sidelites

MO03 MO04



MO04C◊**

Transoms

MO507 (68.5" x 15.5" frame)

** N/A in Fiberglass ** N/A in Steel ◊ Craftsman ∞ Satin NIckel Only*

Grace

Nickel Caming

Privacy Rating: 7

1 transparent — opaque 10

GR91*

GR81

GR83



GR86**

GR70

GR61

GR21

Sidelites

GR88

GR91**

GR14

GR68

GR02

GR03

GR04

Renewed Impressions

Nickel Caming Only

Privacy Rating: 7

1 transparent — opaque 10

RI91**

RI21

RI70

Transoms

RI507 (68.5" x 15.5" frame)

Sidelites



RI68

RI91*

RI61



RI88

RI02

RI04

*◊ Craftsman *N/A Fiberglass **N/A Steel*

Banter

Layered Glass Texture

Privacy Rating: 3

1 transparent — opaque 10

Nouveau

Satin Nickel & Brass

Privacy Rating: 6

1 transparent — opaque 10

Transoms

NO578 (64.5" x 13.5" frame)

NO521 (64.5" x 13.5" frame)

NO507 (68.5" x 15.5" frame)

NO83



NO81

NO68

NO14

NO70

NO21



NO91**



NO91*

NO61

NO88

NO92

Sidelites

NO02

NO03

NO04

** N/A in Fiberglass ** N/A in Steel ◊ Craftsman*

Majestic

Nickel, Brass & Patina

Privacy Rating: 6

1 transparent — opaque 10

MA83
N/A Patina

MA21

MA81
N/A Patina

MA92

MA61

Transoms

MA578 (64.5" x 13.5" frame)

MA521 (64.5" x 13.5" frame)

MA507 (68.5" x 15.5" frame)

Sidelites

MA68

MA88

MA02

MA03
N/A Patina

MA04

Topaz

Patina Caming Only

Privacy Rating: 9

1 transparent — opaque 10

TO83

TO81

TO61

TO21

TO68

TO88

Sidelites



TO02

TO03

TO04

◊ Craftsman *N/A Fiberglass **N/A Steel

Everton

Satin Nickel & Patina



Privacy Rating: 7

1 transparent — opaque 10

EV81

EV61

EV68

Transoms

EV521 (68.5" x 15.5" frame)

EV522 (64.5" x 13.5" frame)

EV21

EV83

EV88

EV86**

Sidelites

EV03

EV04

Oak Park

Patina Caming Only

Privacy Rating: 5

1 transparent — opaque 10

Sidelites

OP61

OP33◊**

OP02

OP03



OP04



OP04C◊**

Transoms

OP507 (68.5" x 15.5" frame)

OP521 (64.5" x 13.5" frame)

OP83

OP81

OP21

OP68

OP88

** N/A in Fiberglass ** N/A in Steel ◊ Craftsman*

Waterside

Black Chrome Caming

Privacy Rating: 8

1 transparent — opaque 10

WS61

WS21

WS68



WS83

WS81



WS88

Sidelites

WS02

WS03

WS04

City Lites *M=Moulded, I=Internal, P=Prairie.*

CL1

CL8



CL8C

CL6

CL5

CL7MΔ
CL7IΔ

CL7

CL9

CL11



CL11M
CL11I

CL11P‡

CL14



CL88M
CL88I

CL88P‡

CL21

CL21M
CL21I

*Δ N/A Slimline Brass or Contoured ‡ Internal Grids Only ◊ Craftsman *N/A Fiberglass **N/A Steel*

City Lites *M=Moulded, I=Internal, P=Prairie.*

CL21P‡

CL41*

CL41M*
CL41I*

CL41P‡*

CL52

CL60

CL61

CL61M
CL61I

CL61P‡

CL65

CL68

CL68M
CL68I

CL68P‡

CL70

CL70MΔ
CL70IΔ

CL75

CL75MΔ
CL75IΔ

CL80*

CL81


CL81M
CL81I

CL81P‡

CL83


CL83M
CL83I


CL83P‡

CL85**

CL86**

CL89*


CL89**

CL90

CL91**

CL91*


CL92

CL33◊**

CL33SDL◊**

CL32•◊**


CL32SDL•◊**

Dentil Shelf at additional cost

** N/A in Fiberglass ** N/A in Steel ◊ Craftsman • In Fir Grain Only Δ N/A Slimline Brass or Contoured*

City Lites *Continued*

Sidelites

CL04M CL04 CL02 CL02M CL02P‡ CL05 CL03M CL03 CL03P‡ CL04P‡ CL06◊** CL06SDL◊**
CL04I CL02I CL03I

ASK ABOUT ENERGY STAR

Low-E Glass

City Lites option

Invisible metallic coating blocks heat flow
Shields against damaging ultra violet rays
Reduces air conditioning costs by reducing solar transmissions in the summer.
In winter, reduces heat loss to the outside and allows solar energy to pass inside.

City Lites Grid *options*

External Grids
moulded, matches door color

Internal Grids



Flat* | Contour* | Antique Brass | Slimline Brass | View Glass 3/8" V-groove | Obscure Glass

City Lites Vent Lites

Clear glass Only White Only N/A paint



CL11V | CL41V* | CL61V

City Lites Direct Set Sidelights

No Grids / Contour Internal Grids / View Glass / Low E



DS10 DSC10 DSP10 | DSC10 DSC12 DSPC12 | DSP10 DSP12 DSP14

ASK ABOUT ENERGY STAR

Low-E Glass

Direct Set option

Invisible metallic coating blocks heat flow
Shields against damaging ultra violet rays
Reduces air conditioning costs by reducing solar transmissions in the summer.
In winter, reduces heat loss to the outside and allows solar energy to pass inside.

Custom





View Glass 3/8" V-groove



Contour Internal
white standard
tan, brown , white/clay,
medium or dark oak, cherry woodgrain

Horizontal muntins will NOT line up with muntins in the slab. Recommend use with blank slabs. Add one week lead time when ordering glass options &/or custom glass.

** N/A in Fiberglass ** N/A in Steel ◊ Craftsman*

City Lites *Continued*

Transoms

Flat internal white or tan grids Only • Available without grids • Additional sizes available upon request.

CL500I

CL514I

CL527I

Raise & Tilt Mini Blinds

MBRT04 MBRT68 MBRT04

MBRT21

*MBRT41



MBRT61 MBRT02



MBRT81

MBRT88

◊ Craftsman *N/A Fiberglass **N/A Steel

Paint & Stain Options

Let us paint or stain your entry door for you. Choose one color or interior/exterior colors. Order it primed to apply your own paint or stain.

Bright White	White	Antique White	Tan	Sandstone	Clay
Light Grey	Black	Musket Brown	Architectural Bronze	Terratone	Brown
Glacier	Wedgewood Blue	Lagoon	Twilight	Bordeaux	Wineberry
Forest Green	Hunter	Key Lime	Citron	Saffron	Burgundy Red
Dark Walnut Stain	Cherry Stain	Rosewood Stain	Colonial Oak Stain	Fruitwood Stain	Natural Oak Stain

Stain colors shown on fiberglass. Stain on steel may vary in tone. Colors shown may not be accurate to actual surface. Please refer to Door Color swatches for actual samples.

Hardware

Polished Brass | Satin Nickel | Aged Bronze | Antique Brass

SCHLAGE

Touch Handlesets

Accent*/ Camelot — Camelot

Accent*/ Camelot — Camelot

Accent*/ Camelot — Camelot

Handlesets

Plymouth — Camelot

Touch Deadbolt

Camelot — Camelot

Camelot — Camelot

Locksets

Plymouth — Georgian

Misc

Magazine Slot

Knocker with peep

Knocker

Peepsite

Deadbolt

Leverset

Accent*

Hardware may not be available in all finishes.

*Levers meet all requirements of the Americans with Disabilities Act [ADA].



Screw On Kick Plate

Threshold



Black riser/Bronze



Black riser/Satin Nickel



Brown riser/Mill Finish standard

low profile/ ADA compliant mill finish only

Ultra Performance Frame

·12 mil rigid PVC film bonded with permanent waterproof exterior polyurethane glue to our rot resistant frame system.

·Alaskan Yellow Cypress, one of the planets most durable, rot-resistant woods is finger jointed to the bottom of a premium pine frame component.

·The door frame offers the strength and rigidity of wood with low maintenance attributes of PVC components.

· This system offers versatility in your finishing options. This door frame can be painted or stained, this also includes the jamb being stained.

·No nail holes in the brick mould. This design has a route in the brick mould and jamb that connect with an accessory.

Bronze Weatherstripping

Tan Weatherstripping

Steel Reinforced Strike Plate

Attaches behind strike jamb for additional security.

2 & 3 Panel Patio Doors

4 9/16" Jamb
Inswing Only
Extruded aluminum screen frame
in brown or white
Standard Hardware:
Bright Brass Accent Leverset and Deadbolt

Glass Options:
Clear
Low-E
Internal City Lites
Colonial Grids
Raise & Tilt Mini Blinds NA Low-E

Interior Wood Casing

Create a classic finished appearance with our Interior Wood Casing. Choose from Pine or Oak wood.

Stained casing is available in:

- Colnial Oak
- Natural Oak
- Dark Walnut
- Cherry
- Fruitwood
- Rosewood

Stain colors are a close match, there is no way for an exact match due to natural differences in the wood material.

*Levers meet all requirements of the Americans with Disabilities Act (ADA)

Patio Door Sizes

Unit Size	# Panels	Actual Frame Width Size	Stud to Stud Rough Opening Minimum	Actual Unit Size Outside Brickmould w/ Inswing Doors
5' 0" x 6'8"	2	60 3/8" x 80 11/16"	60 7/8" x 81"	62 7/8" x 81 15/16"
6' 0"x 6'8"	2	72 3/8" x 80 11/16"	72 7/8" x 81"	74 7/8" x 81 15/16"
9' 0"x 6'8"	3	108 1/4" x 80 11/16"	108 3/4" x 81"	110 3/4" x 81 15/16"

Fiberglass

The Research and Development Department utilizes innovative technology to perfect the quality of our doors and components. We offer you the most advanced, high-quality fiberglass door available on the market today.

Composite Stiles provide complete waterproofing for the doors insulation and screw-holding power 2 times better than wood.

Fiberglass Reinforced Skins are resistant to dents, dings, splintering, and corrosion.

An Engineered Composite Bottom Rail prevents moisture from seeping into the door.



optional aged bronze threshold shown

Energy Efficiency

1. Entry doors start with a strong, rigid polyurethane foam core that meets environmental guidelines and offers maximum thermal protection and dimensional stability.

2. The door bottom weather-strip forms a weather-tight seal to the threshold.

3. Another weather-tight feature is the adjustable threshold. A few turns with a screw driver achieves a proper seal at the bottom of the door.

4. We offer high-performance weather-stripping and bottom sweep upgrades to further strengthen the weather barrier of your entry door.

Caming Finishes

Brass | Nickel | Satin Nickel | Patina

Steel

5. Reinforcing Steel Strike Plate

attaches behind the wood strike jamb for additional security.

6. Composite Lock Block

4" x 10" composite lock block has more screw-holding power than wood. It is injection-molded for uniform size. The door remains flat and strong beneath hardware.

7. Steel Construction

Galvanized inner and outer steel sheets offer strength and durability. There is no wood to rot, warp, split or bow. It is difficult to even dent our doors.

8. Security Is Standard

All steel-edge perimeter means there are no wood edges to crack when force is applied.

a. A wood edge steel door cracks under force of one hit of a 100 lb. test weight

b. Steel Doors do not force open after 7 hits of a 100 lb. test weight for a Grade 40 Security Rating. Your family is secure behind the best safety rating in the industry.





9. Patented Adjustable Hinge Plate System

ensures proper alignment and seal. Normal settling or climate change can effect the door opening. Use a screw driver to make the necessary adjustments. Move the door up or down, in or out without removing the door.

WONDERWINDOWS
A BETTER WAY TO BUY WINDOWS

Rochester	(585) 654-7000
Buffalo	(716) 873-1600
Fax	(585) 654-7114
Email	info@wonderwindows.com
Website	wonderwindows.com

NFRC MEMBER
National Fenestration Rating Council®

ENERGY STAR PARTNER

2017 Angie's list SUPER SERVICE AWARD