

SUMMARY OF ANALYSIS (SAMPLE ID: SA35829)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR10572 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
Cultivar (Strain) or Sample Description: Sat-A-Vet			Date Completed: 08/25/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.


Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
CBD	1.00	10.0
CBC	0.0221	0.221
CBG	0.0126	0.126
TOTAL CBD	1.01	10.1
TOTAL THC	-	-
TOTAL CANNABINOIDS	1.06	10.6

Terpenes (Top 5)	(%)	µg/g
α-Bisabolol		
Camphene		
δ-3-Carene		
β-Caryophyllene		
Caryophyllene oxide		
TOTAL TERPENES	-	-

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

www.FASTLaboratories.com



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35829)


Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR10572 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
--	--	--	--

Cultivar (Strain) or Sample Description: Sat-A-Vet **Date Completed:** 08/25/2023

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 08/15/2023 1621 **Method:** HPLC/DAD **Moisture Content (%):** -
Analyst: PW **Instrument:** Agilent 1100 **Water Activity (aw):** -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	0.0221	0.221	0.00480	0.0112	-	0.221	6.64
CBCA	ND	ND	0.0149	0.0348	-	-	-
CBD	1.00	10.0	0.0338	0.0790	-	10.0	301
CBDA	0.00438	0.0438	0.0125	0.0291	-	0.0438	1.31
CBDV	ND	ND	0.00543	0.0127	-	-	-
CBDVA	ND	ND	0.0145	0.0338	-	-	-
CBG	0.0126	0.126	0.0220	0.0513	-	0.126	3.78
CBGA	0.00677	0.0677	0.0312	0.0368	-	0.0677	2.03
CBL	ND	ND	0.0254	0.0593	-	-	-
CBN	0.00982	0.0982	0.0117	0.0272	-	0.0982	2.94
CBNA	ND	ND	0.0126	0.0293	-	-	-
Δ9-THC	ND	ND	0.0140	0.0326	-	-	-
Δ8-THC	ND	ND	0.0218	0.0509	-	-	-
THCA	ND	ND	0.00758	0.0177	-	-	-
THCV	ND	ND	0.0182	0.0424	-	-	-
THCVA	ND	ND	0.00581	0.0135	-	-	-
TOTAL	1.06	10.6			-	10.6	318
TOTAL CBC	0.0221	0.221			-	0.221	6.64
TOTAL CBD	1.01	10.1			-	10.1	302
TOTAL CBDV	-	-			-	-	-
TOTAL CBG	0.0186	0.186			-	0.186	5.57
TOTAL CBN	0.00982	0.0982			-	0.0982	2.94
TOTAL THC	-	-			-	-	-
TOTAL THC V	-	-			-	-	-



SERVING MASS (g): 1.00
SERVINGS/UNIT: 30

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
 Total CBD = (CBDA x 0.877) + CBD
 Total CBDV = (CBDVA x 0.867) + CBDV
 Total CBG = (CBGA x 0.878) + CBG
 Total CBN = (CBNA x 0.876) + CBN
 Total THC = (THCA x 0.877) + Δ9-THC
 Total THC V = (THCVA x 0.867) + THC V

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35829)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR10572 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
--	--	--	--

Cultivar (Strain) or Sample Description: Sat-A-Vet **Date Completed:** 08/25/2023


TERPENOID PROFILE

Analysis Date/Time: 08/22/2023 2319
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (µg/g)</u>	<u>Result (%)</u>
α-Bisabolol	ND	-
Camphene	ND	-
δ-3-Carene	ND	-
β-Caryophyllene	ND	-
Caryophyllene oxide	ND	-
p-Cymene	ND	-
Eucalyptol	ND	-
Geraniol	ND	-
Guaiol	ND	-
α-Humulene	ND	-
Isopulegol	ND	-
d-Limonene	ND	-
Linalool	ND	-
β-Myrcene	ND	-
cis-Nerolidol	ND	-
trans-Nerolidol	ND	-
α-Ocimene	ND	-
β-Ocimene	ND	-
α-Pinene	ND	-
β-Pinene	ND	-
α-Terpinene	ND	-
γ-Terpinene	ND	-
Terpinolene	ND	-
TOTAL	0.000	0.000



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit
Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (µg/g): 10.5

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

www.FASTLaboratories.com



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35829)


Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR10572 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
--	--	--	--

Cultivar (Strain) or Sample Description: Sat-A-Vet **Date Completed:** 08/25/2023

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 08/23/2023 0544 **Method:** HS/GC/MS **Deviations from SOP:** None
Analyst: KF **Instrument:** Agilent 7890/5975

Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Acetone (67-64-1)	-	124	248	1000	n-Heptane (142-82-5)	-	124	248	1000
Acetonitrile (75-5-8)	-	124	248	-	n-Hexane (110-54-3)	-	43.5	87.0	60
Benzene (71-43-2)	-	1.24	2.48	2	Isobutane (75-28-5)	-	124	248	1000
n-Butane (106-97-2)	-	124	248	1000	Isopropanol (67-63-0)	-	124	248	1000
1-Butanol (71-36-3)	-	124	248	-	Isopropyl acetate (108-21-4)	-	124	248	-
2-Butanol (78-92-2)	-	124	248	-	Isopropyl benzene (98-82-8)	-	12.4	24.8	-
2-Butanone (78-93-3)	-	124	248	-	Methanol (67-56-1)	-	124	248	600
Cyclohexane (110-82-7)	-	124	248	-	2-Methylbutane (78-78-4)	-	124	248	-
1,2-Dimethoxyethane (110-71-4)	-	12.4	24.8	-	Methylene chloride (75-9-2)	-	124	248	-
N,N-Dimethylacetamide (127-19-5)	-	124	248	-	2-Methylpentane (107-83-5)	-	43.5	87.0	-
2,2-Dimethylbutane (75-83-2)	-	43.5	87.0	-	3-Methylpentane (96-10-0)	-	43.5	87.0	-
2,3-Dimethylbutane (79-29-8)	-	43.5	87.0	-	n-Pentane (109-66-0)	-	124	248	1000
N,N-Dimethylformamide (68-12-2)	-	124	248	-	1-Pentanol (71-41-0)	-	124	248	-
Dimethylsulfoxide (67-68-5)	-	124	248	-	n-Propane (74-98-6)	-	124	248	1000
1,4-Dioxane (123-91-1)	-	124	248	-	1-Propanol (71-23-8)	-	124	248	-
Ethanol (64-17-5)	-	124	248	-	Pyridine (110-86-1)	-	43.5	87.0	-
2-Ethoxyethanol (110-80-5)	-	43.5	87.0	-	Tetrahydrofuran (109-99-9)	-	124	248	-
Ethyl ether (60-29-7)	-	124	248	-	Tetramethylene sulfone (126-33-0)	-	43.5	87.0	-
Ethyl acetate (141-78-6)	-	124	248	1000	Toluene (108-88-3)	-	124	248	180
Ethyl benzene (100-41-4)	-	124	248	-	o-Xylene (95-47-6)	-	124	248	430
Ethylene glycol (107-21-1)	-	124	248	-	m,p-Xylene (108-38-3 or 106-42-3)	-	124	248	430
Ethylene oxide (75-21-8)	-	12.4	24.8	-	Xylenes* (1330-20-7)	-	43.3	86.7	430



Color Key

RESULT < AL (Green background)
RESULT > AL (Red background)

"DET" detected less than LOQ
 "-" not detected above LOD
 "*" - o,m,p-Xylene and Ethylbenzene
 Action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.
 A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
 Kyle W. Felling, Ph.D.
 Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35829)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR10572 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
--	--	--	--

Cultivar (Strain) or Sample Description: Sat-A-Vet **Date Completed:** 08/25/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 01/01/1900 1200
Analyst: KF

Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP:
None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0105	0.0840	0.5	Kresoxim-methyl (143390-89-0)	-	0.0105	0.0840	-
Acephate (30560-19-1)	-	0.0105	0.0840	-	Malathion (121-75-5)	-	0.0105	0.0840	0.2
Acetaminocyl (57960-19-7)	-	0.0105	0.0840	-	Metalaxyl (57837-19-1)	-	0.0105	0.0840	-
Acetamidrid (135410-20-7)	-	0.0105	0.0840	-	Methiocarb (2032-65-7)	-	0.0105	0.0840	-
Aldicarb (116-06-3)	-	0.0105	0.0840	-	Methomyl (16752-77-5)	-	0.0105	0.0840	-
Azoxystrobin (131860-33-8)	-	0.0105	0.0840	0.2	Methyl parathion (298-0-0)	-	0.0105	0.0840	-
Bifenazate (149877-41-8)	-	0.0105	0.0840	0.2	MGK 264 (113-48-4)	-	0.0105	0.0840	-
Bifenthrin (82657-04-3)	-	0.0105	0.0840	-	Myclobutanil (88671-89-0)	-	0.0105	0.0840	0.2
Boscalid (188425-85-6)	-	0.0105	0.0840	-	Naled (300-76-5)	-	0.0105	0.0840	-
Carbaryl (63-25-2)	-	0.0105	0.0840	-	Oxamyl (23135-22-0)	-	0.0105	0.0840	-
Carbofuran (1563-66-2)	-	0.0105	0.0840	-	Pacllobutrazol (76738-62-0)	-	0.0105	0.0840	-
Chlorantraniliprole (800008-45-7)	-	0.0105	0.0840	-	Permethrins (52645-53-1)	-	0.0105	0.0840	0.2
Chlorfenapyr (122453-73-0)	-	0.0105	0.0840	-	Phosmet (732-11-6)	-	0.0105	0.0840	-
Chlorpyrifos (2921-88-2)	-	0.0105	0.0840	-	Piperonyl butoxide (51-03-6)	-	0.0105	0.0840	-
Clofentezine (74115-24-5)	-	0.0105	0.0840	-	Prallethrins (2331-36-9)	-	0.0105	0.0840	-
Cyfluthrin (68359-37-5)	-	0.0105	0.0840	-	Propiconazole (60207-90-1)	-	0.0105	0.0840	-
Cypermethrin (52315-07-8)	-	0.0105	0.0840	-	Propoxur (114-26-1)	-	0.0105	0.0840	-
Daminozide (1596-84-5)	-	0.0105	0.0840	-	Pyrethrins (8003-34-7)	-	0.0105	0.0840	-
DDVP (62-73-7)	-	0.0105	0.0840	-	Pyridaben (96489-71-3)	-	0.0105	0.0840	-
Diazinon (333-41-5)	-	0.0105	0.0840	-	Spinosad (168316-95-8)	-	0.0105	0.0840	0.2
Dimethoate (60-51-5)	-	0.0105	0.0840	-	Spiromesifen (283594-90-1)	-	0.0105	0.0840	0.2
Ethoprophos (13194-48-4)	-	0.0105	0.0840	-	Spirotetramat (203313-25-1)	-	0.0105	0.0840	0.2
Etofenprox (80844-07-1)	-	0.0105	0.0840	-	Spiroxamine (118134-30-8)	-	0.0105	0.0840	-
Ettoxazole (153233-91-1)	-	0.0105	0.0840	0.2	Tebuconazole (80443-41-0)	-	0.0105	0.0840	0.4
Fenoxycarb (72490-01-8)	-	0.0105	0.0840	-	Thiacloprid (111988-49-9)	-	0.0105	0.0840	-
(E)-Fenpyroximate (134098-61-6)	-	0.0105	0.0840	-	Thiamethoxam (153719-23-4)	-	0.0105	0.0840	-
Fipronil (120068-37-3)	-	0.0105	0.0840	-	Trifloxystrobin (141517-21-7)	-	0.0105	0.0840	-
Fonicamid (158062-67-0)	-	0.0105	0.0840	-					
Fludioxinil (131341-86-1)	-	0.0105	0.0840	-					
Hexythiazox (78587-05-0)	-	0.0105	0.0840	-					
Imazalil (35554-44-0)	-	0.0105	0.0840	0.2					
Imidacloprid (138261-41-3)	-	0.0105	0.0840	0.4					



Color Key

RESULT < AL

RESULT > AL

"DET" detected less than LOQ
"-." not detected above LOD

Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.

Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.

Action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35829)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Order ID: OR10572 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
Cultivar (Strain) or Sample Description: Sat-A-Vet			Date Completed: 08/25/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 08/24/2023 2229 (ICP/OES)	Method: ICP/MS	Deviations from SOP:
Analysis Date/Time: - (DMA)	Instrument: Agilent 7500ce	None
Analyst: KF		

<u>Heavy Metal</u>	<u>Result (µg/kg)</u>	<u>LOD (µg/kg)</u>	<u>LOQ (µg/kg)</u>	<u>Action Level (µg/kg)</u>
Arsenic (As)	-	57.5	91.0	1500
Cadmium (Cd)	-	57.5	91.0	500
Lead (Pb)	-	57.5	91.0	1000
Mercury (Hg)	-	57.5	91.0	1500



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director


CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35829)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 37 Can-Tek Labs 8107 S I-35 Service Rd Oklahoma City, OK 73149 License: Not Entered or N/A	Sample ID: SA35829 Lot Number: 0208-18 Batch Number: CTK-073123-01	Sample Type: Primary Matrix: Oil/Tincture Mass: 30ml Date Collected: 08/14/2023 Date Received: 08/14/2023
Cultivar (Strain) or Sample Description: Sat-A-Vet			Date Completed: 08/25/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 08/24/2023 1021 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	-
Escherichia Coli (E. Coli)	Absent	1
Mold/Yeast	Absent	10
Pseudomonas aeruginosa	NT	-
Salmonella spp.	Absent	1
Staphylococcus aureus	Absent	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key



Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

