





SUMMARY OF ANALYSIS (SAMPLE ID: SA30991)

Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample Dese	cription: PCRX Gold Tincture 30ml		Date Completed: 04/30/2022

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

Moisture Content (%)	Water Activity (aw)	PASS/FAIL
Not Tested	Not Tested	N/A

Moisture content/water activity action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines. Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	<u>(%)</u>	<u>mg/g</u>
CBD	2.04	20.4
CBG	0.165	1.65
CBC	0.0683	0.683
TOTAL CBD	2.08	20.8
TOTAL THC	-	-
TOTAL CANNABINOIDS	2.36	23.6
<u>Terpenes (Top 5)</u>	<u>(%)</u>	hā\ā
<u>Terpenes (Top 5)</u> β-Caryophyllene	<u>(%)</u> 0.00957	µg/g 95.7
β-Caryophyllene	0.00957	95.7
β-Caryophyllene α-Bisabolol	0.00957 0.000	95.7 0.000
β-Caryophyllene α-Bisabolol Camphene	0.00957 0.000 0.000	95.7 0.000 0.000

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Mycotoxins:	PASS
Pesticides:	PASS
Residual Solvents:	PASS





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Kyle W. Felling, Ph.D. Laboratory Director

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC









Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample Desc	Date Completed: 04/30/2022		

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 4/25/2022 1823 Analyst: PW Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>UM</u> (+/-%)	<u>Result</u> (mg/g)	LOQ (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> Serving (mg)	<u>Per</u> <u>Unit</u> (mg)
CBC	0.0683	0.00956	0.683	0.00286	0.656	0.683	20.5
CBCA	-	-	-	0.00286	-	-	-
CBD	2.04	0.184	20.4	0.115	19.6	20.4	612
CBDA	0.0396	0.00396	0.396	0.00286	0.380	0.396	11.9
CBDV	0.00681	0.00109	0.0681	0.00286	0.0653	0.0681	2.04
CBDVA	0.000741	6.67e-05	0.00741	0.00286	0.00711	0.00741	0.222
CBG	0.165	0.0215	1.65	0.0286	1.59	1.65	49.6
CBGA	0.0421	0.00463	0.421	0.00286	0.404	0.421	12.6
CBL	-	-	-	0.00286	-	-	-
CBN	DET	-	DET	0.00286	-	-	-
CBNA	-	-	-	0.00286	-	-	-
Δ9-ΤΗC	-	-	-	0.0286	-	-	-
Δ8- THC	-	-	-	0.00286	-	-	-
THCA	-	-	-	0.00286	-	-	-
THCV	-	-	-	0.00286	-	-	-
THCVA	-	-	-	0.00286	-	-	-
TOTAL	2.36	0.224	23.6		22.7	23.6	709
TOTAL CBC	0.0683	0.00956	0.683		0.656	0.683	20.5
TOTAL CBD	2.08	0.187	20.8		19.9	20.8	623
TOTAL CBDV	0.00745	0.00115	0.0745		0.0715	0.0745	2.23
TOTAL CBG	0.202	0.0256	2.02		1.94	2.02	60.7
TOTAL CBN	-	-	-		-	-	-
TOTAL THC	-	-	-		-	-	-
TOTAL THCV	-	-	-		-	-	-

* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



SERVING MASS (g): 1.00 SERVINGS/UNIT: 30

"-" Not detected above LOD.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) + Δ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Kyle W. Felling, Ph.D. atory Dire









Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample Des	Date Completed: 04/30/2022		

TERPENOID PROFILE

Analysis Date/Time:4/29/2022 0956 Analyst: KF		Method: GC/MS Instrument: Agiler	ent 7890/5975 None
			none
<u>Terpene</u>	<u>Result</u> (µg/g)	<u>Result</u> (%)	
α-Bisabolol	-	-	
Camphene	-	-	Gold Tincture 30m
δ-3-Carene	-	-	ingle "staring tea For Revealed FULL PA
β-Caryophyllene	95.7	0.00957	#0405-05 CONCENT
Caryophyllene oxide	-	-	H41922-03 Come Hards come epo to Come Htt is sent to
p-Cymene	-	-	
Eucalyptol	-	-	
Geraniol	-	-	
Guaiol	-	-	Abbreviations: GC - Gas
α-Humulene	-	-	Chromatography, MS - Mass
Isopulegol	-	-	Spectrometry, RL - Reporting Limit
d-Limonene	-	-	This information is provided as a service and makes no claims of efficacy and/or
Linalool	-	-	safety of this product.
β-Myrcene	-	-	Results are applicable only for the sample(s) analyzed and for the specific
cis-Nerolidol	-	-	analysis conducted.
trans-Nerolidol	-	-	This report is for informational purposes only and should not be used to diagnose,
α-Ocimene	-	-	treat, or prevent any
β-Ocimene	-	-	medical-related symptoms.
α-Pinene	-	-	The statements and results herein have not been approved and/or endorsed by
β-Pinene	-	-	the FDA.
α-Terpinene	-	-	
γ-Terpinene	-	-	
Terpinolene	-	-	"-" Not detected above RL.
TOTAL	95.7	0.00957	Reporting Limit (μg/g): 10.4











Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample Desc	Date Completed: 04/30/2022		

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time:	lysis Date/Time: 4/29/2022 1938 Method: HS/GC/MS				Deviations from SOP:					
Analyst: KF				Ir	nstrument: Agilent 789	0/5975	None			
<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Acetone (67-64-1)	-	36.2	72.4	1000	n-Heptane (142-82-5)	-	36.2	72.4	1000	Gold Tincture 30n
Acetonitrile (75-5-8)	-	36.2	72.4	-	n-Hexane (110-54-3)	-	12.7	25.4	60	rple intervention for Resale FULLIN
Benzene (71-43-2)	-	0.362	0.724	2	Isobutane (75-28-5)	-	36.2	72.4	1000	10405-05 CONCENT 141922-03 0
n-Butane (106-97-2)	-	36.2	72.4	1000	Isopropanol (67-63-0)	-	36.2	72.4	1000	wass.com/eps-s
1-Butanol (71-36-3)	-	36.2	72.4	-	Isopropyl acetate	_	36.2	72.4	_	
2-Butanol (78-92-2)	-	36.2	72.4	-	(108-21-4)	-	50.2	72.4	-	
2-Butanone (78-93-3)	-	36.2	72.4	-	Isopropyl benzene (98-82-8)	-	3.62	7.24	-	
Cyclohexane (110-82-7)	-	36.2	72.4	-	(90-02-0) Methanol (67-56-1)		36.2	72.4	600	Color Key
1,2-Dimethoxyethane		3.62	7.24		. ,	-			600	
(110-71-4)	-	3.02	7.24	-	2-Methylbutane (78-78-4)	-	36.2	72.4	-	RESULT < AL
N,N-Dimethylacetamide (127-19-5)	-	36.2	72.4	-	Methylene chloride (75-9-2)	-	36.2	72.4	-	RESULT > AL
2,2-Dimethylbutane (75-83-2)	-	12.7	25.4	-	2-Methylpentane (107-83-5)	-	12.7	25.4	-	"DET" detected less than LOQ
2,3-Dimethylbutane		12.7	25.4		3-Methylpentane (96-10-0)	-	12.7	25.4	-	"-" not detected above
(79-29-8)	-	12./	23.4	-	n-Pentane (109-66-0)	-	36.2	72.4	1000	LOD
N,N-Dimethylformamide	-	36.2	72.4	-	1-Pentanol (71-41-0)	-	36.2	72.4	-	"*" - o,m,p-Xylene and
(68-12-2)					n-Propane (74-98-6)	-	36.2	72.4	1000	Ethylbenzene
Dimethylsulfoxide (67-68-5)	-	36.2	72.4	-	1-Propanol (71-23-8)	-	36.2	72.4	-	Action levels are
1,4-Dioxane (123-91-1)	-	36.2	72.4	-	Pyridine (110-86-1)	-	12.7	25.4	-	referenced from the State of
Ethanol (64-17-5)	-	36.2	72.4	-	Tetrahydrofuran (109-99-9)	-	36.2	72.4	-	Oklahoma-Oral/Rectal/Vaginal
2-Ethoxyethanol (110-80-5)	-	12.7	25.4	-	Tetramethylene sulfone	-	12.7	25.4	-	MMJ testing
Ethyl ether (60-29-7)	-	36.2	72.4	-	(126-33-0)		36.2	72.4	180	guidelines.
Ethyl acetate (141-78-6)	-	36.2	72.4	1000	Toluene (108-88-3)	-	36.2	72.4	430	A value of "-"
Ethyl benzene (100-41-4)	-	36.2	72.4	_	o-Xylene (95-47-6) m,p-Xylene (108-38-3 or	-	36.2	/2.4	430	for the action level
Ethylene glycol (107-21-1)	-	36.2	72.4	-	106-42-3)	-	36.2	72.4	430	means that analyte
Ethylene oxide (75-21-8)	-	3.62	7.24	-	Xylenes* (1330-20-7)	-	43.3	86.7	430	is not currently regulated by the regulations referenced above.
Solvent		Synonym(s	5)		Solvent	S	ynonym(s)			regulations referenced above.
Acetonitrile		Methyl Cya	anide, ACN		Ethylene glycol	1	,2-Ethanediol			
1-Butanol		n-Butanol,	Butyl Alco	hol	Isobutane	2	-Methylpropa	ine		
2-Butanol		sec-Butyl a	-		Isopropanol		-Propanol, IP/			
2-Butanone		Methyl eth		1EK	Isopropyl Acetate		cetic acid iso		r	
1,2-Dimethoxyethane		Monoglym			Methanol		fethyl alcoho			
2,3-Dimethylbutane		Neohexane			2-Methylbutane		sopentane			
2,3-Dimethylbutane		Diisopropy			Methylene chloride		Dichlorometha	me		
N,N-Dimethylformamide		DMF			2-Methylpentane		sohexane			
Dimethysufoxide		DMSO			1-Pentanol		-Amyl alcoho	01		
2-Ethoxyethanol		Cellosolve	Ethyl glvc	ol	1-Propanol		ropyl alcohol			
Ethyl ether		Diethyl eth		- 1	Tetrahydrofuran		'HF			
Ethyl acetate		EtOAc	,		Tetramethylene sulfone		ulfolane			
Ethyl benzene		Phenyletha	ne		Xylene		imethylbenze	ene		
Linyi Denzene		1 nenytetild			2xy ICHC	L	menyibelize			

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com







Deviations from SOP:

None

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA30991)

Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample Des	Date Completed: 04/30/2022		

Analysis Date/Time: 4/29/2022 1509 Analyst: KF

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Method: LC/MS/MS Instrument: Shimadzu LC-8050

<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	LOQ (µg/g)	<u>Action</u> Level (µg/g)	
Abamectin (71751-41-2)	-	0.0104	0.0833	0.5	Kresoxim-methyl	_	0.0104	0.0833	-	Gold Tincture 30n pie for Restate FULLN
Acephate (30560-19-1)	-	0.0104	0.0833	-	(143390-89-0)					110405-05 CONCENT X441922-03 0
Acequinocyl (57960-19-7)	-	0.0104	0.0833	-	Malathion (121-75-5)	-	0.0104	0.0833	0.2	
Acetamiprid	-	0.0104	0.0833	-	Metalaxyl (57837-19-1)	-	0.0104	0.0833	-	
(135410-20-7)					Methiocarb (2032-65-7)	-	0.0104	0.0833	-	
Aldicarb (116-06-3)	-	0.0104	0.0833	-	Methomyl (16752-77-5)	-	0.0104	0.0833	-	<u>Color Key</u>
Azoxystrobin (131860-33-8)	-	0.0104	0.0833	0.2	Methyl parathion (298-0-0)	-	0.0104	0.0833	-	RESULT < AL
Bifenazate (149877-41-8)	-	0.0104	0.0833	0.2	MGK 264 (113-48-4)	-	0.0104	0.0833	-	RESULT > AL
Bifenthrin (82657-04-3)	-	0.0104	0.0833	-	Myclobutanil	_	0.0104	0.0833	0.2	"DET" detected less than LOQ
Boscalid (188425-85-6)	-	0.0104	0.0833	-	(88671-89-0)		0.0104	0.0000		
Carbaryl (63-25-2)	-	0.0104	0.0833	-	Naled (300-76-5)	-	0.0104	0.0833	-	"-" not detected above LOD
Carbofuran (1563-66-2)	-	0.0104	0.0833	-	Oxamyl (23135-22-0)	-	0.0104	0.0833	-	LOD
Chlorantraniliprole (800008-45-7)	-	0.0104	0.0833	-	Paclobutrazol (76738-62-0)	-	0.0104	0.0833	-	Permethrins measured as the cumulative residue of the <i>cis</i> - and
Chlorfenapyr	_	0.0104	0.0833	-	Permethrins (52645-53-1)	-	0.0104	0.0833	0.2	trans- permethrin isomers.
(122453-73-0)	-	0.0104		-	Phosmet (732-11-6)	-	0.0104	0.0833	-	Pyrethrins measured as the
Chlorpyrifos (2921-88-2)	-	0.0104	0.0833	-	Piperonyl butoxide	-	0.0104	0.0833	-	cumulative residue of the
Clofentezine (74115-24-5)	-	0.0104	0.0833	-	(51-03-6) Prallethrins (2331-36-9)		0.0104	0.0833	_	pyrethrin I, cinerin I, and jasmolin I isomers.
Cyfluthrin (68359-37-5)	-	0.0104	0.0833	-	Propiconazole	-	0.0104	0.0033	-	
Cypermethrin (52315-07-8)	-	0.0104	0.0833	-	(60207-90-1))	-	0.0104	0.0833	-	Action levels are referenced from the
Daminozide (1596-84-5)	-	0.0104	0.0833	-	Propoxur (114-26-1)	-	0.0104	0.0833	-	State of Oklahoma-Oral/Rectal/ Vaginal MMJ testing guidelines.
DDVP (62-73-7)	-	0.0104	0.0833	-	Pyrethrins (8003-34-7)	-	0.0104	0.0833	-	vaginar musi testing guidennes.
Diazinon (333-41-5)	-	0.0104	0.0833	-	Pyridaben (96489-71-3)	-	0.0104	0.0833	-	A value of "-" for the action level
Dimethoate (60-51-5)	-	0.0104	0.0833	-	Spinosad (168316-95-8)	-	0.0104	0.0833	0.2	means that analyte is not currently regulated by the
Ethoprophos (13194-48-4)	-	0.0104	0.0833	-	Spiromesifen (283594-90-1)	-	0.0104	0.0833	0.2	regulations referenced above.
Etofenprox (80844-07-1)	-	0.0104	0.0833	-	(200004-00-1) Spirotetramat					Disclaimer: This information is
Etoxazole (153233-91-1)	-	0.0104	0.0833	0.2	(203313-25-1)	-	0.0104	0.0833	0.2	provided as a service and makes
Fenoxycarb (72490-01-8)	-	0.0104	0.0833	-	Spiroxamine		0.0104	0.0833	-	no claims of efficacy and/or safety
(E)-Fenpyroximate (134098-61-6)	-	0.0104	0.0833	-	(118134-30-8) Tebuconazole	-				of this product. Results are applicable only for the sample(s) analyzed and for the specific
Fipronil (120068-37-3)	-	0.0104	0.0833	-	(80443-41-0)	-	0.0104	0.0833	0.4	analysis conducted. This report is
Flonicamid (158062-67-0)	-	0.0104	0.0833	-	Thiacloprid	-	0.0104	0.0833	-	for informational purposes only
Fludioxinil (131341-86-1)	-	0.0104	0.0833	-	(111988-49-9)					and should not be used to diagnose, treat, or prevent any
Hexythiazox (78587-05-0)	-	0.0104	0.0833	-	Thiamethoxam (153719-23-4)	-	0.0104	0.0833	-	medical-related symptoms. The
Imazalil (35554-44-0)	-	0.0104	0.0833	0.2	Trifloxystrobin					statements and results herein have not been approved and/or
Imidacloprid (138261-41-3)	-	0.0104	0.0833	0.4	(141517-21-7)	-	0.0104	0.0833	-	endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	<u>Synonym(s)</u>	Pesticide	<u>Synonym(s)</u>	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		



REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com







Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample Description: PCRX Gold Tincture 30mlDate Completed: 04/30/2022			

MYCOTOXIN PROFILE (SOP: SOP-MYCO-001)

Analysis Date/Time: 4/29/2022 2016 Analyst: KF Method: LC/MS/MS Instrument: Shimadzu LC-8050

<u>Mycotoxin</u>	<u>Result</u> (µg/kg)	<u>Action Level</u> <u>(µg/kg)</u>
Aflatoxin B1	-	20
Aflatoxin B2	-	20
Aflatoxin G1	-	20
Aflatoxin G2	-	20
Ochratoxin A	-	20

Deviations from SOP: None



Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level

Color Key



Reporting Limit (µg/kg) Action Level

"-" not detected above reporting limit

Action levels for mycotoxins are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.











Testing Location:	Customer ID: 37	Order ID: OR9776	Sample Type: Primary	
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture	
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g	
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022	
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022	
Cultivar (Strain) or Sample Description: PCRX Gold Tincture 30mlDate Completed: 04/30/2022				

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/Time: 4/30/2022 0804 (ICP/OES) Analysis Date/Time: - (DMA) Analyst: KF		Method: ICP/OES Instrument: Agilent 720-ES		Deviations from SOP: None	
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	DET	48.7	92.5	1500	
Cadmium (Cd)	-	48.7	92.5	500	Gold Tincture 30m
Lead (Pb)	-	48.7	92.5	1000	ngle Catalogue FULL R
Mercury (Hg)	125	48.7	92.5	1500	1441922-03 Hans Bonnings- Hans Bonnings- Ha

Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation



"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.











Deviations from SOP:

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA30991)

Testing Location:	Customer ID: 37	Sample ID: SA30991	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	0405-05	Mass: 30g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 04/19/2022
License: ADA 05_H273	License: Not Entered or N/A	CTK-041922-03	Date Received: 04/25/2022
Cultivar (Strain) or Sample	Date Completed: 04/30/2022		

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 4/29/2022 12		Method: Hardy Diagnostics CompactDry		
Analyst: PW	Instrum	Instrument: Thermo Incubator		
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)		
Aerobic Plate Count	NT	-		
Coliforms, Total	Absent	-	G	
Escherichia Coli (E. Coli)	Absent	1	and the second second second	
Mold/Yeast	Absent	10		
Salmonella spp.	Absent	1		
Staphylococcus aureus	Absent	-		



None

Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





1

Action levels for microbiology are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



