





SUMMARY OF ANALYSIS (SAMPLE ID: SA33948)

Order ID: OR10228 **Testing Location:** Customer ID: 37 Sample Type: Primary Lot Number: Arkansas Can-Tek Labs Matrix: Oil/Tincture 232 S. Broadview St. 8107 S I-35 Service Rd 0816-28 **Mass:** 30g

Greenbrier, AR 72058 Oklahoma City, OK 73149 **Batch Number: Date Collected:** 12/15/2022 CTK-121522-03 License: ADA 05_H273 License: Not Entered or N/A **Date Received:** 12/20/2022

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml **Date Completed:** 01/18/2023


*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

> PASS/FAIL **Moisture Content (%)** Water Activity (aw) **PASS** Not Tested Not Tested

Moisture content/water activity action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines. Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
CBD	1.98	19.8
CBG	0.186	1.86
CBGA	0.0614	0.614
TOTAL CBD	2.03	20.3
TOTAL THC	-	-
TOTAL CANNABINOIDS	2.34	23.4
<u>Terpenes (Top 5)</u>	<u>(%)</u>	μg/g
<u>Terpenes (Top 5)</u> α-Bisabolol	<u>(%)</u> 0.000	µg∕g 0.000
α-Bisabolol	0.000	0.000
α-Bisabolol Camphene	0.000 0.000	0.000 0.000
α-Bisabolol Camphene δ-3-Carene	0.000 0.000 0.000	0.000 0.000 0.000
α-Bisabolol Camphene δ-3-Carene β-Caryophyllene	0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS







Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.











Testing Location:Customer ID: 37Order ID: OR10228Sample Type: PrimaryArkansasCan-Tek LabsLot Number:Matrix: Oil/Tincture

 232 S. Broadview St.
 8107 S I-35 Service Rd
 0816-28
 Mass: 30g

 Greenbrier, AR 72058
 Oklahoma City, OK 73149
 Batch Number:
 Date Collected: 12/15/2022

License: ADA 05_H273 License: Not Entered or N/A CTK-121522-03 **Date Received:** 12/20/2022

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 12/20/2022 1828 Method: HPLC/DAD
Analyst: PW Instrument: Agilent 1100

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml

<u>Cannabinoid</u>	Result (%)	<u>UM</u> (+/-%)	Result (mg/g)	LOQ (mg/g)	Result (mg/ mL)	Per Serving (mg)	Per Unit (mg)
CBC	0.0341	0.00307	0.341	0.251	-	10.2	10.2
CBCA	-	-	-	0.251	-	-	-
CBD	1.98	0.178	19.8	0.251	-	595	595
CBDA	0.0494	0.00444	0.494	0.251	-	14.8	14.8
CBDV	-	-	-	0.251	-	-	-
CBDVA	-	-	-	0.251	-	-	-
CBG	0.186	0.0168	1.86	0.251	-	55.9	55.9
CBGA	0.0614	0.00553	0.614	0.251	-	18.4	18.4
CBL	-	-	-	0.251	-	-	-
CBN	0.0269	0.00242	0.269	0.251	-	8.08	8.08
CBNA	-	-	-	0.251	-	-	-
Δ9-ΤΗС	-	-	-	0.251	-	-	-
Δ8-ΤΗС	-	-	-	0.251	-	-	-
THCA	-	-	-	0.251	-	-	-
THCV	-	-	-	0.251	-	-	-
THCVA	-	-	-	0.251	-	-	-
TOTAL	2.34	0.211	23.4		_	702	702
TOTAL CBC	0.0341	0.00307	0.341		-	10.2	10.2
TOTAL CBD	2.03	0.182	20.3		-	608	608
TOTAL CBDV	-	-	-		-	-	-
TOTAL CBG	0.240	0.0216	2.40		-	72.1	72.1
TOTAL CBN	0.0269	0.00242	0.269		-	8.08	8.08
TOTAL THC	-	-	-		-	-	-
TOTAL THCV	-	-	-		-	-	-

^{*} CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



Date Completed: 01/18/2023

SERVING MASS (g): 30.0 SERVINGS/UNIT: 1

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) + Δ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.





[&]quot;-" Not detected above LOD.







Testing Location:Customer ID: 37Order ID: OR10228Sample Type: PrimaryArkansasCan-Tek LabsLot Number:Matrix: Oil/Tincture

 232 S. Broadview St.
 8107 S I-35 Service Rd
 0816-28
 Mass: 30g

 Greenbrier, AR 72058
 Oklahoma City, OK 73149
 Batch Number:
 Date Collected: 12/15/2022

License: ADA 05_H273 License: Not Entered or N/A CTK-121522-03 **Date Received:** 12/20/2022

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml **Date Completed:** 01/18/2023

TERPENOID PROFILE

Analysis Date/Time:01/17/2023 0707 Method: GC/MS Deviations from SOP:

Analyst: KF Instrument: Agilent 7890/5975 None

α-Bisabolol - - Camphene - - δ-3-Carene - - β-Caryophyllene - - αxide - - β-Caryophyllene - - αxide - - β-Cymene - - Bucalyptol - - Geraniol - - Guaiol - - α-Humulene - - Isopulegol - - 4-Limonene - - 4-Limonene - - β-Myrcene - - β-Myrcene - - cis-Nerolidol - - α-Nerolidol - - φ-Cocimene - - β-Ocimene - - α-Colimene - - γ-Pinene - - γ-Terpinene - -	<u>Terpene</u>	Result (µg/g)	Result (%)	
δ-3-Garene - - β-Caryophyllene - - oxide - - p-Cymene - - Eucalyptol - - Geraniol - - Guaiol - - α-Humulene - - Isopulegol - - d-Limonene - - Linalool - - β-Myrcene - - cis-Nerolidol - - trans-Nerolidol - - trans-Nerolidol - - φ-Ocimene - - α-Chimene - - α-Pinene - - β-Pinene - - α-Terpinene - - Tempinelene - - Tempinene -	α-Bisabolol	- -	-	Elite Gold Tinctus
\$-3-carene - - -	Camphene	-	-	Sample Technic
Caryophyllene oxide - - p-Cymene - - Eucalyptol - - Geraniol - - Guaiol - - α-Humulene - - Isopulegol - - d-Limonene - - d-Limonene - - β-Myrcene - - cis-Nerolidol - - cis-Nerolidol - - trans-Nerolidol - - φ-Ocimene - - α-Coimene - - α-Pinene - - α-Pinene - - γ-Terpinene - - Terpinene - - Terpinene - - - - - - - - - - - - - - - - - - - - -	δ-3-Carene	-	-	UT# 0816,27 CON3
oxide p-Cymene p-Cymene p-Cymene cucalyptol ceraniol cuaiol ca-Humulene cu-Humulene cu-Hu	β-Caryophyllene	-	-	TK-12152 -03 do
Eucalyptol		-	-	hat state con vireports in the state of the
Geraniol Guaiol Guaiol - Guai	p-Cymene	-	-	
Guaiol α -HumuleneAbbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting LimitIsopulegolThis information is provided as a service and makes no claims of efficacy and/or safety of this product. β -MyrceneResults are applicable only for the sample(s) analyzed and for the specific analysis conducted. α -PocimeneThis report is for informational purposes 	Eucalyptol	-	-	
α-Humulene-Abbreviations: GC - Gas Chromatography, MS - MassIsopulegolSpectrometry, RL - Reporting Limitd-LimoneneThis information is provided as a service and makes no claims of efficacy and/or safety of this product.LinaloolResults are applicable only for the sample(s) analyzed and for the specific analysis conducted.cis-NerolidolThis report is for informational purposes only and should not be used to diagnose, treat, or prevent anyβ-Ocimenemedical-related symptoms.α-PineneThe statements and results herein have not been approved and/or endorsed by the FDA.α-Terpineneγ-Terpinene	Geraniol	-	-	
α-HumuleneChromatography, MS - Mass Spectrometry, RL - Reporting LimitIsopulegolThis information is provided as a service and makes no claims of efficacy and/or safety of this product.LinaloolResults are applicable only for the sample(s) analyzed and for the specific analysis conducted.Cis-NerolidolThis report is for informational purposes only and should not be used to diagnose, treat, or prevent anyβ-Ocimenemedical-related symptoms.α-PineneThe statements and results herein have not been approved and/or endorsed by the FDA.α-Terpineneγ-Terpinene	Guaiol	-	-	Abbraviationes CC Cos
d-Limonene Linalool	α-Humulene	-	-	Chromatography, MS - Mass
Linalool - - and makes no claims of efficacy and/or safety of this product. β-Myrcene - - Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. cis-Nerolidol - - This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. α-Ocimene - - medical-related symptoms. α-Pinene - - The statements and results herein have not been approved and/or endorsed by the FDA. α-Terpinene - - - γ-Terpinene - - Terminelene - -	Isopulegol	-	-	
β-MyrceneResults are applicable only for the sample(s) analyzed and for the specific analysis conducted.cis-NerolidolThis report is for informational purposes only and should not be used to diagnose, treat, or prevent any α -Ocimenemedical-related symptoms. α -PineneThe statements and results herein have not been approved and/or endorsed by the FDA. α -Terpinene γ -Terpinene	d-Limonene	-	-	and makes no claims of efficacy and/or
sample(s) analyzed and for the specific analysis conducted. trans-Nerolidol This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. α-Pinene The statements and results herein have not been approved and/or endorsed by the FDA. α-Terpinene ΤοπρίποΙονο	Linalool	-	-	
trans-Nerolidol	•	-	-	sample(s) analyzed and for the specific
only and should not be used to diagnose, treat, or prevent any medical-related symptoms. α -Ocimene The statements and results herein have not been approved and/or endorsed by the FDA. α -Terpinene	cis-Nerolidol	-	-	•
α-Ocimenetreat, or prevent any medical-related symptoms. β -OcimeneThe statements and results herein have not been approved and/or endorsed by the FDA. α -Terpinene γ -Terpinene	trans-Nerolidol	-	-	
α -Pinene The statements and results herein have not been approved and/or endorsed by the FDA. α -Terpinene	α-Ocimene	-	-	treat, or prevent any
α -Prinene	β-Ocimene	-	-	medical-related symptoms.
β-Pinene - the FDA. α -Terpinene α -Terpinene α -Terpinene - α -	α-Pinene	-	-	
γ-Terpinelene	β-Pinene	-	-	
Torninolone	α-Terpinene	-	-	
Terpinolene "-" Not detected above RL.	γ-Terpinene	-	-	
- St detected doo'te ItEl	Terpinolene		-	"-" Not detected above RL.

TOTAL 0.000 0.000 Reporting Limit (μg/g): 47.3











Testing Location:Customer ID: 37Order ID: OR10228Sample Type: PrimaryArkansasCan-Tek LabsLot Number:Matrix: Oil/Tincture

232 S. Broadview St. 8107 S I-35 Service Rd 0816-28 **Mass:** 30g
Greenbrier, AR 72058 Oklahoma City, OK 73149 **Batch Number: Date Collected:** 12/15/2022

License: ADA 05_H273 License: Not Entered or N/A CTK-121522-03 **Date Received:** 12/20/2022

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml **Date Completed:** 01/18/2023

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 1/16/2023 1333 Method: HS/GC/MS Deviations from SOP:

Analyst: KF Instrument: Agilent 7890/5975 None

Solvent	<u>Result</u> (μg/g)	LOD (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u> (μg/g)	Solvent	<u>Result</u> (μg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u> (μg/g)
Acetone (67-64-1)	-	38.4	76.7	1000	n-Heptane (142-82-5)	-	38.4	76.7	1000
Acetonitrile (75-5-8)	-	38.4	76.7	-	n-Hexane (110-54-3)	-	13.4	26.8	60
Benzene (71-43-2)	-	0.384	0.767	2	Isobutane (75-28-5)	-	38.4	76.7	1000
n-Butane (106-97-2)	-	38.4	76.7	1000	Isopropanol (67-63-0)	-	38.4	76.7	1000
1-Butanol (71-36-3)	-	38.4	76.7	-	Isopropyl acetate	_	38.4	76.7	_
2-Butanol (78-92-2)	-	38.4	76.7	-	(108-21-4)		50.4	7 0.7	
2-Butanone (78-93-3)	-	38.4	76.7	-	Isopropyl benzene (98-82-8)	-	3.84	7.67	-
Cyclohexane (110-82-7)	-	38.4	76.7	-	Methanol (67-56-1)	_	38.4	76.7	600
1,2-Dimethoxyethane (110-71-4)	-	3.84	7.67	-	2-Methylbutane (78-78-4)	-	38.4	76.7	-
N,N-Dimethylacetamide (127-19-5)	-	38.4	76.7	-	Methylene chloride (75-9-2)	-	38.4	76.7	-
2,2-Dimethylbutane (75-83-2)	-	13.4	26.8	-	2-Methylpentane (107-83-5)	-	13.4	26.8	-
2,3-Dimethylbutane		13.4	26.8		3-Methylpentane (96-10-0)	-	13.4	26.8	-
(79-29-8)	-	13.4	26.8	-	n-Pentane (109-66-0)	-	38.4	76.7	1000
N,N-Dimethylformamide	_	38.4	76.7	_	1-Pentanol (71-41-0)	-	38.4	76.7	-
(68-12-2)					n-Propane (74-98-6)	-	38.4	76.7	1000
Dimethylsulfoxide (67-68-5)	-	38.4	76.7	-	1-Propanol (71-23-8)	-	38.4	76.7	-
1,4-Dioxane (123-91-1)	_	38.4	76.7	_	Pyridine (110-86-1)	-	13.4	26.8	-
Ethanol (64-17-5)	_	38.4	76.7	_	Tetrahydrofuran (109-99-9)	-	38.4	76.7	-
2-Ethoxyethanol (110-80-5)	_	13.4	26.8	_	Tetramethylene sulfone	_	13.4	26.8	_
Ethyl ether (60-29-7)	_	38.4	76.7	_	(126-33-0)		20.4	50.5	100
Ethyl acetate (141-78-6)	_	38.4	76.7	1000	Toluene (108-88-3)	-	38.4	76.7	180
Ethyl benzene (100-41-4)	-	38.4	76.7	-	o-Xylene (95-47-6)	-	38.4	76.7	430
Ethylene glycol (107-21-1)	_	38.4	76.7	_	m,p-Xylene (108-38-3 or 106-42-3)	-	38.4	76.7	430
Ethylene oxide (75-21-8)	_	3.84	7.67	_	Xylenes* (1330-20-7)	-	43.3	86.7	430
- '					- '				

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethysufoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene



Color Key

RESULT < AL

"DET" detected less than LOQ

"-" not detected above LOD

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.







License: ADA 05_H273





Date Received: 12/20/2022

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33948)

Testing Location:Customer ID: 37Order ID: OR10228Sample Type: PrimaryArkansasCan-Tek LabsLot Number:Matrix: Oil/Tincture

 232 S. Broadview St.
 8107 S I-35 Service Rd
 0816-28
 Mass: 30g

 Greenbrier, AR 72058
 Oklahoma City, OK 73149
 Batch Number:
 Date Collected: 12/15/2022

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml

Date Completed: 01/18/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

CTK-121522-03

Analysis Date/Time: 01/16/2023 1419 Method: LC/MS/MS Deviations from SOP:

Analyst: KF Instrument: Shimadzu LC-8050 None

License: Not Entered or N/A

<u>Pesticide</u>	Result (μg/g)	<u>LOD</u> (µg/g)	LOQ (µg/g)	<u>Action</u> <u>Level</u> (μg/g)	<u>Pesticide</u>	Result (μg/g)	<u>LOD</u> (μg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u> (μg/g)	
Abamectin (71751-41-2)	-	0.0473	0.379	0.5	Kresoxim-methyl	_	0.0473	0.379	-	
Acephate (30560-19-1)	-	0.0473	0.379	-	(143390-89-0)					
Acequinocyl (57960-19-7)	-	0.0473	0.379	-	Malathion (121-75-5)	-	0.0473	0.379	0.2	
Acetamiprid (135410-20-7)	-	0.0473	0.379	-	Metalaxyl (57837-19-1) Methiocarb (2032-65-7)	-	0.0473 0.0473	0.379 0.379	-	9
Aldicarb (116-06-3)	-	0.0473	0.379	-	Methomyl (16752-77-5)	-	0.0473	0.379	-	RE
Azoxystrobin (131860-33-8)	-	0.0473	0.379	0.2	Methyl parathion (298-0-0)	-	0.0473	0.379	-	RE
Bifenazate (149877-41-8)	-	0.0473	0.379	0.2	MGK 264 (113-48-4)	-	0.0473	0.379	-	"DET" dete
Bifenthrin (82657-04-3)	-	0.0473	0.379	-	Myclobutanil	_	0.0473	0.379	0.2	"-" not
Boscalid (188425-85-6)	-	0.0473	0.379	-	(88671-89-0)		0.04/3	0.373	0.2	- 1100
Carbaryl (63-25-2)	-	0.0473	0.379	-	Naled (300-76-5)	-	0.0473	0.379	-	
Carbofuran (1563-66-2)	-	0.0473	0.379	-	Oxamyl (23135-22-0)	-	0.0473	0.379	-	Permethri cumulative r
Chlorantraniliprole (800008-45-7)	-	0.0473	0.379	-	Paclobutrazol (76738-62-0)	-	0.0473	0.379	-	trans- pe
Chlorfenapyr	_	0.0473	0.270		Permethrins (52645-53-1)	-	0.0473	0.379	0.2	Pyrethrin cumulat
(122453-73-0)	-	0.04/3	0.379	-	Phosmet (732-11-6)	-	0.0473	0.379	-	pyrethrin I, c
Chlorpyrifos (2921-88-2)	-	0.0473	0.379	-	Piperonyl butoxide	-	0.0473	0.379	_	1
Clofentezine (74115-24-5)	-	0.0473	0.379	-	(51-03-6)		0.0450	0.050		Action level
Cyfluthrin (68359-37-5)	-	0.0473	0.379	-	Prallethrins (2331-36-9)	-	0.0473	0.379	-	Tretton reve
Cypermethrin (52315-07-8)	-	0.0473	0.379	-	Propiconazole (60207-90-1))	-	0.0473	0.379	-	State of Ok Vaginal MM
Daminozide (1596-84-5)	-	0.0473	0.379	-	Propoxur (114-26-1)	-	0.0473	0.379	-	A value of "-
DDVP (62-73-7)	-	0.0473	0.379	-	Pyrethrins (8003-34-7)	-	0.0473	0.379	-	means tl
Diazinon (333-41-5)	-	0.0473	0.379	-	Pyridaben (96489-71-3)	-	0.0473	0.379	-	currently
Dimethoate (60-51-5)	-	0.0473	0.379	-	Spinosad (168316-95-8)	-	0.0473	0.379	0.2	regulation
Ethoprophos (13194-48-4)	-	0.0473	0.379	-	Spiromesifen	_	0.0473	0.379	0.2	Disclaimer.
Etofenprox (80844-07-1)	-	0.0473	0.379	-	(283594-90-1)					provided as no claims of
Etoxazole (153233-91-1)	-	0.0473	0.379	0.2	Spirotetramat (203313-25-1)	-	0.0473	0.379	0.2	of this pr
Fenoxycarb (72490-01-8)	-	0.0473	0.379	-	Spiroxamine					applicable o
(E)-Fenpyroximate (134098-61-6)	-	0.0473	0.379	-	(118134-30-8) Tebuconazole	-	0.0473	0.379	-	analyzed a analysis con for informat
Fipronil (120068-37-3)	-	0.0473	0.379	-	(80443-41-0)	-	0.0473	0.379	0.4	and shou
Flonicamid (158062-67-0)	-	0.0473	0.379	_	Thiacloprid		0.0473	0.379	_	diagnose, t
Fludioxinil (131341-86-1)	-	0.0473	0.379	_	(111988-49-9)	-	0.0473	0.575	-	medical-rel statements a
Hexythiazox (78587-05-0)	-	0.0473	0.379	-	Thiamethoxam	-	0.0473	0.379	-	not been
Imazalil (35554-44-0)	-	0.0473	0.379	0.2	(153719-23-4)					endors
Imidacloprid (138261-41-3)	-	0.0473	0.379	0.4	Trifloxystrobin (141517-21-7)	-	0.0473	0.379	-	



Color Key

RESULT < AL

'DET" detected less than LOQ

" not detected above LOD

Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.

Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin

Action levels are referenced from the

State of Oklahoma-Oral/Rectal/ Vaginal MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	<u>Pesticide</u>	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		





REPORT OF LABORATORY ANALYSIS







Date Completed: 01/18/2023

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33948)

Testing Location:Customer ID: 37Order ID: OR10228Sample Type: PrimaryArkansasCan-Tek LabsLot Number:Matrix: Oil/Tincture

 232 S. Broadview St.
 8107 S I-35 Service Rd
 0816-28
 Mass: 30g

 Greenbrier, AR 72058
 Oklahoma City, OK 73149
 Batch Number:
 Date Collected: 12/15/2022

License: ADA 05_H273 License: Not Entered or N/A CTK-121522-03 **Date Received:** 12/20/2022

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/Time: 01/17/2023 1544 (ICP/OES) Method: ICP/OES Deviations from SOP:

Analysis Date/Time: - (DMA) Instrument: Agilent 720-ES None

Analyst: KF

Heavy Metal	<u>Result</u> (μg/kg)	<u>LOD</u> (μg/kg)	LOQ (µg/kg)	<u>Action Level</u> (μg/kg)
Arsenic (As)	-	58.4	92.4	1500
Cadmium (Cd)	-	58.4	92.4	500
Lead (Pb)	-	58.4	92.4	1000
Mercury (Hg)	-	58.4	92.4	1500

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.











Testing Location:Customer ID: 37Sample ID: SA33948Sample Type: PrimaryArkansasCan-Tek LabsLot Number:Matrix: Oil/Tincture

232 S. Broadview St. 8107 S I-35 Service Rd 0816-28 **Mass:** 30g

Greenbrier, AR 72058 Oklahoma City, OK 73149 **Batch Number: Date Collected:** 12/15/2022 License: ADA 05_H273 License: Not Entered or N/A CTK-121522-03 **Date Received:** 12/20/2022

Cultivar (Strain) or Sample Description: Elite Gold Tincture 30ml **Date Completed:** 01/18/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 20230118 1411 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**

Analyst: PW Instrument: Thermo Incubator None

Bacteria/Microbe	<u>Result</u> (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	-
Escherichia Coli (E. Coli)	Absent	1
Mold/Yeast	Absent	10
Pseudomonas aeruginosa	NT	1
Salmonella spp.	Absent	1
Staphylococcus aureus	Absent	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL RESULT > AL

Reporting Limit (CFU/g)

Action levels for microbiology are referenced from the State of Oklahoma-Oral/Rectal/Vaginal MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



